


Project CY 8609

Describe the technical Facility located near:

SG1A



Within the following ten year period determine if and when any "special events" occur:



Note: If you do find any "special events" - - - subsequent sessions will be focused on each separate "special event."

20 Feb 87
Ft. Meade, MD
[REDACTED]

1030

52

D

A I

E I

T

I

acc

446

SUI

2

flat
wand

point of
impact

metallic

S 4 1/2 specially prepared

wired

measured
compared

S 4 1/2 when struck, it causes physical effects,
releases energy, particles & information.

S 4 1/2 - idea that "projectile" is caused to
"trade" until desired speed/momentum/altitude is
achieved, then "switch" ^{setting} is altered to permit "projectile"
to be propelled/impelled into impact point.

S 4 1/2 sense that any possible inhibitors or chance
object are removed, perhaps even to the point of
creating a vacuum along the track of the
"projectile" to avoid air friction or interference.

52

D

A2

FI

T

I

WOL

HLs

SVI

3

clamps

stress

degrades

surrounding

54 1/2 in chamber what happens may occur very rapidly but for short duration, like a "burst" or "flash." No rhythmic pulse or repeat in chamber

54 1/2 "Clamps" are high grade & high strength materials because subject to high degree of "stress" - not mechanical or physical stress but ^{uniform} degradative deterioration over time.

molecular degradation

object
emanations?

tubes

spr

modified material

Starching

machines

equipment

devices

apparatus

power

Thermoplane

attributes

emanations?

intangible

heated

excited

agitated

resistant

dangerous

expected

calculates

phenomenological

Thermoplane

Subjects

emanations?

threshold

barrier

control

program

level

excitement

energy

release

accumulation

utilization

adjustment

Thermoplane

Topics

emanations?

factory

factory

adjacent

S U I

6

S2

D

A2

E2

T

I

AOL

ALS

mass
composition

alloy

S4/2 "98%" pure one element, but alloyed with
small amount of other material to improve
managable + performance.

element

heavy
dense

dark
color

at B6
Yuk
hard
fast
unpleasant

grainy

Like
Carbon
won't rot
black

to range

S4/2 alloy material light ~ silver color

At B6
Mercury

502

D

#2

FI

T

I

APL

AL

S U I

7

refined

S4 1/2 all possible impurities removed to increase predictability of desired effects + results.

outside of
material

dist

open
p.t.
under

"dry up"
process

location

S4 1/2 loose dirt + carb. light color - beige, ochre, with orange patches throughout. Austere, barren area. Relatively flat, though rolling. ~~Not~~ sparse population; low grassy vegetation with, after cold. material heat pressed, refined; impurities extracted - mechanically, then more refined extraction. Take ~~stuff~~ material out of impurities instead of vice versa. As material becomes more pure, its true dk grey color becomes more apparent.

1113